



AMENDMENTS:		
AMENDMENT	DATE	DESCRIPTION

- NOTES:
- 1) ALL SEWER LATERAL JUNCTIONS TO BE WRAPPED IN FILTER FABRIC (BIDUM A14 OR SIMILAR).
 - 2) ALL STORMWATER & SEWER MAINS IN LIQUEFIABLE MATERIAL TO HAVE BEDDING WRAPPED IN FABRIC.
 - 3) ALL MANHOLES NOT IN NATURAL GRAVEL TO BE UNDERCUT & BACKFILLED WITH COMPACTED METAL.
 - 4) ALL STORMWATER & SEWER PIPEWORK TO HAVE ELONGATED COLLARS. ENSURE JOINTS ARE NOT "FULLY" PUSHED HOME.
 - 5) ALL ROAD PAVEMENTS TO HAVE BIDUM A14 FABRIC TO SUBGRADE.
 - 6) BACKFILL TO PIPE IS TO BE SD344 TYPE P WITH AP65 OR A WELL GRADED GRANULAR BACKFILL WITH SIMILAR GRADING.
 - 7) STAGE 1
2 BEDROOM 20



NAME	SIGNED	DATE
DESIGNED BY MIKE WALSH		MARCH 2012
CHECKED BY		



79 Cambridge Terrace P O Box 679 Christchurch 1. New Zealand
Telephone: 03 379-0793 Fax: 03 379-5664 E-mail: office@daviels.co.nz

JOB TITLE:
**RAWHITI DOMAIN
TEMPORARY VILLAGE**

SHEET TITLE:
**JENNIAN HOMES
LAYOUT CONCEPT**

DRAWING STATUS:
For INFORMATION

SCALE: 1:500@A1
1:1000@A3 DATE: MARCH 2012

CAD FILE: J:\17718\17718-2 RAWHITI\17718-2-CP01-R015.dwg REVISION:
DRAWING No: SHEET No:
E.17718-2.CP02 R12